



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of
NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on June 16, 2016.

Ward Manufacturing, LLC
115 Gulick Street
P.O. Box 9
Blossburg, PA 16912-0009
570-638-2131

Facility: Blossburg, PA

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
[G]			
Fittings			
Ward Malleable Iron Fittings - Galvanized	3/4" - 4"	C. HOT	GALV
Ward Cast Iron Fittings - Galvanized	3/4" - 4"	C. HOT	GALV
90° Straight ELL Class 125	1/8" - 4"	C. HOT	CI
90° Straight ELL Class 150	1/8" - 4"	C. HOT	MI
Reducing 90° ELL Class 150	1/4"x1/8" - 4"x3"	C. HOT	MI
45° ELL Class 150	1/8" - 4"	C. HOT	MI
90° Street ELL Class 150	1/8" - 3"	C. HOT	MI
Street 45° ELL Class 150	1/8" - 2"	C. HOT	MI
Straight Tees Class 150	1/8" - 4"	C. HOT	MI
Reducing Tees Class 150	½"x½"x3/8"-4"x4"x2"	C. HOT	MI
Pipe Caps Class 150	1/8" - 4"	C. HOT	MI
Waste Nuts Class 150	1/2" - 1"	C. HOT	MI
Street Tees Class 150	3/4" - 2"	C. HOT	MI
Reducing Street Tees Class 150	1 1/4" x 1" x 1 1/4"	C. HOT	MI
Coupling, Class 150 Straight Coupling	1/8" - 4"	C. HOT	MI
Coupling, Class 150 Right & Left Thread Coupling	1/2" - 2"	C. HOT	MI
Reducing Coupling Class 150	1/4"x1/8" - 4"x3"	C. HOT	MI
Extension Pieces Class 150	3/8" - 1 1/4"	C. HOT	MI
Locknuts Class 150	1/8" - 2"	C. HOT	MI
Return Bend Open Class 150	1/2" - 1"	C. HOT	MI
Cross Class 150	1/4" - 2"	C. HOT	MI
45° Y Class 150	1 1/4"	C. HOT	MI
90° Straight ELL Class 300	1/4" - 3"	C. HOT	MI
Reducing 90° ELL Class 300	½"x3/8" - 1"x3/4"	C. HOT	MI
90° Street ELL Class 300	1/4" - 2"	C. HOT	MI
45° ELL Class 300	1/4" - 2"	C. HOT	MI
45° Street ELL Class 300	1 1/4"	C. HOT	MI
Straight Tee Class 300	1/4" - 3"	C. HOT	MI

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Reducing Tees Class 300	$\frac{3}{4} \times \frac{3}{4} \times \frac{1}{2} - 3 \times 3 \times 2$ "	C. HOT MI
Straight Coupling Class 300	1/4" - 2"	C. HOT MI
Reducing Coupling Class 300	3/8" x 1/4" - 2" x 1"	C. HOT MI
Pipe Caps Class 300	1/4" - 2"	C. HOT MI
Cross Class 300	1/2" - 2"	C. HOT MI
Ward Union Iron to Iron Seat Class 150	1/8" - 3"	C. HOT MI
Ward Union Iron to Iron Seat Class 300	1/8" - 3"	C. HOT MI
Solid Plugs Class 125	1/8" - 4"	C. HOT CI
Cored Plugs Class 125	1/2" - 4"	C. HOT CI
Countersunk Plugs Class 125 and 150	1/4" - 3 1/2"	C. HOT CI
Hex Head Cleanout Plugs Class 125	1 1/4" - 4"	C. HOT CI
Hexagon Bushings Class 125	1 1/4" x 3/4" - 4" x 3"	C. HOT CI
Hexagon Bushings Class 150	1/4" x 1/8" - 4" x 3 1/2"	C. HOT MI
Flush Bushings Class 125	1 1/4" x 3/4" - 4" x 3"	C. HOT CI
Flush Bushings Class 150	1/4" x 1/8" - 4" x 3 1/2"	C. HOT MI
Steel Hex Socket Plugs	1/8" - 3/4"	C. HOT CI
Double Tap Tank Bushings (Heavy Type Only)	1" x 3/4" x 3/4" - 4" x 3" x 3"	C. HOT CI
Cast Iron 90° Straight ELL Class 125	1/4" - 4"	C. HOT CI
90° Reducing ELL Class 125	3/4" x 1/2" - 4" x 3 1/2"	C. HOT CI
45° ELL Class 125	1/2" - 4"	C. HOT CI
Straight Tee Class 125	3/8" - 4"	C. HOT CI
Reducing Tee Class 125	1/2" x 3/8" - 4" x 3 1/2"	C. HOT CI
Concentric Reducing Coupling Class 125	3/4" x 1/2" - 3" x 1 1/2"	C. HOT CI
Eccentric Reducing Coupling Class 125	3/4" x 1/2" - 2" x 1"	C. HOT CI
Pipe Cap Class 125	2 1/2" - 4"	C. HOT CI
Hexagon Coupling	1"	C. HOT CI
Straight Cross Class 125	1/2" - 1 1/2"	C. HOT CI
Reducing Cross Class 125	1 1/4" x 1" - 2" x 1"	C. HOT CI
90° Straight ELL Class 250	1/2" - 2 1/2"	C. HOT CI
45° Straight ELL Class 250	1/2" - 2 1/2"	C. HOT CI
Straight Tee Class 250	3/8" - 2 1/2"	C. HOT CI
Reducing Tee Class 250	1 1/4" x 3/4" - 2" x 1 1/2"	C. HOT CI
Y x Y GALV MI TEE 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV CI 45 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI 90 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI BLIND FLG [1]	3/4" - 4"	C. HOT GALV
Y GALV CI C/O PLUG [1]	3/4" - 4"	C. HOT GALV
Y GALV CI CAP [1]	3/4" - 4"	C. HOT GALV
Y GALV CI COMP FLANG [1]	3/4" - 4"	C. HOT GALV
Y GALV CI CROSS [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DBLTAP BUSH [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 11-1/4 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 22-1/2 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 45 ELLS [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 60 ELL [1]	3/4" - 4"	C. HOT GALV

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Y GALV CI DRG 90 ELLS [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 90 TY [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG DBLE Y [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG LT 45 ELLS [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG LT 90 ELLS [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG LTTY 90 [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG P-TRAP [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG P-TRAP W/O C-OUT [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG ST 45 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG ST 90 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI DRG TEE [1]	3/4" - 4"	C. HOT GALV
Y GALV CI FLG 45 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI FLG 90 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV CI FLG CROSS [1]	3/4" - 4"	C. HOT GALV
Y GALV CI FLG TEE [1]	3/4" - 4"	C. HOT GALV
Y GALV CI FLG UNION [1]	3/4" - 4"	C. HOT GALV
Y GALV CI FLOOR FLG [1]	3/4" - 4"	C. HOT GALV
Y GALV CI SOLID PLUG [1]	3/4" - 4"	C. HOT GALV
Y GALV CI SQ HD PLUG [1]	3/4" - 4"	C. HOT GALV
Y GALV CI TEE [1]	3/4" - 4"	C. HOT GALV
Y GALV MI 45 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV MI 45 ELL 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI 90 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV MI 90 ELL 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI C/S PLUG [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CAP [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CAP 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CPLG [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CPLG 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CPLG L&R THD [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CROSS [1]	3/4" - 4"	C. HOT GALV
Y GALV MI CROSS 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI EXT PCS [1]	3/4" - 4"	C. HOT GALV
Y GALV MI FLOOR FLG [1]	3/4" - 4"	C. HOT GALV
Y GALV MI FLUSH BUSH [1]	3/4" - 4"	C. HOT GALV
Y GALV MI HEX BUSH [1]	3/4" - 4"	C. HOT GALV
Y GALV MI LOCK NUT [1]	3/4" - 4"	C. HOT GALV
Y GALV MI RTN BEND [1]	3/4" - 4"	C. HOT GALV
Y GALV MI ST 45 ELL	3/4" - 4" [1]	C. HOT GALV
Y GALV MI ST 90 ELL [1]	3/4" - 4"	C. HOT GALV
Y GALV MI ST 90 ELL 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI STREET TEE [1]	3/4" - 4"	C. HOT GALV
Y GALV MI TEE [1]	3/4" - 4"	C. HOT GALV
Y GALV MI TEE 300# [1]	3/4" - 4"	C. HOT GALV
Y GALV MI WASTE NUT [1]	3/4" - 4"	C. HOT GALV
Y GLV 300# STREET 45 ELBOW [1]	3/4" - 4"	C. HOT GALV
Y GLV MI 150# 45 WYE [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV CI 125# ECC RED [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV CI 90 ELL [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV CI CROSS [1]	3/4" - 4"	C. HOT GALV

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Y x Y GALV CI FLG TEE [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV CI REDC. FLG [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV CI REDUCER [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV CI TEE [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV MI 90 ELL 300# [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV MI CPLG [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV MI CPLG 300# [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV MI STREET TEE [1]	3/4" - 4"	C. HOT GALV
Y x Y GALV MI TEE [1]	3/4" - 4"	C. HOT GALV
Y GALV CI 45 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI 90 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI BLIND FLG	3"/4" - 4"	C. HOT GALV
Y GALV CI C/O PLUG	3/4" - 4"	C. HOT GALV
Y GALV CI CAP	3/4" - 4"	C. HOT GALV
Y GALV CI COMP FLANG	3/4" - 4"	C. HOT GALV
Y GALV CI CROSS	3/4" - 4"	C. HOT GALV
Y GALV CI DBLTAP BUSH	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 11-1/4 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 22-1/2 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 45 ELLS	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 60 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 90 ELLS	3/4" - 4"	C. HOT GALV
Y GALV CI DRG 90 TY	3/4" - 4"	C. HOT GALV
Y GALV CI DRG DBLE Y	3/4" - 4"	C. HOT GALV
Y GALV CI DRG LT 45 ELLS	3/4" - 4"	C. HOT GALV
Y GALV CI DRG LT 90 ELLS	3/4" - 4"	C. HOT GALV
Y GALV CI DRG LTTY 90	3/4" - 4"	C. HOT GALV
Y GALV CI DRG P-TRAP	3/4" - 4"	C. HOT GALV
Y GALV CI DRG P-TRAP W/O C- OUT	3/4" - 4"	C. HOT GALV
Y GALV CI DRG ST 45 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI DRG ST 90 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI DRG TEE	3/4" - 4"	C. HOT GALV
Y GALV CI FLG 45 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI FLG 90 ELL	3/4" - 4"	C. HOT GALV
Y GALV CI FLG CROSS	3/4" - 4"	C. HOT GALV
Y GALV CI FLG TEE	3/4" - 4"	C. HOT GALV
Y GALV CI FLG UNION	3/4" - 4"	C. HOT GALV
Y GALV CI FLOOR FLG	3/4" - 4"	C. HOT GALV
Y GALV CI SOLID PLUG	3/4" - 4"	C. HOT GALV
Y GALV CI SQ HD PLUG	3/4" - 4"	C. HOT GALV
Y GALV CI TEE	3/4" - 4"	C. HOT GALV
Y GALV MI 45 ELL	3/4" - 4"	C. HOT GALV
Y GALV MI 45 ELL 300#	3/4" - 4"	C. HOT GALV
Y GALV MI 90 ELL	3/4" - 4"	C. HOT GALV
Y GALV MI 90 ELL 300#	3/4" - 4"	C. HOT GALV
Y GALV MI C/S PLUG	3/4" - 4"	C. HOT GALV
Y GALV MI CAP	3/4" - 4"	C. HOT GALV
Y GALV MI CAP 300#	3/4" - 4"	C. HOT GALV
Y GALV MI CPLG	3/4" - 4"	C. HOT GALV
Y GALV MI CPLG 300#	3/4" - 4"	C. HOT GALV

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Y GALV MI CPLG L&R THD	3/4" - 4"	C. HOT GALV
Y GALV MI CROSS	3/4" - 4"	C. HOT GALV
Y GALV MI CROSS 300#	3/4" - 4"	C. HOT GALV
Y GALV MI EXT PCS	3/4" - 4"	C. HOT GALV
Y GALV MI FLOOR FLG	3/4" - 4"	C. HOT GALV
Y GALV MI FLUSH BUSH	3/4" - 4"	C. HOT GALV
Y GALV MI HEX BUSH	3/4" - 4"	C. HOT GALV
Y GALV MI LOCK NUT	3/4" - 4"	C. HOT GALV
Y GALV MI RTN BEND	3/4" - 4"	C. HOT GALV
Y GALV MI ST 45 ELL	3/4" - 4"	C. HOT GALV
Y GALV MI ST 90 ELL	3/4" - 4"	C. HOT GALV
Y GALV MI ST 90 ELL 300#	3/4" - 4"	C. HOT GALV
Y GALV MI STREET TEE	3/4" - 4"	C. HOT GALV
Y GALV MI TEE	3/4" - 4"	C. HOT GALV
Y GALV MI TEE 300#	3/4" - 4"	C. HOT GALV
Y GALV MI WASTE NUT	3/4" - 4"	C. HOT GALV
Y GLV 300# STREET 45 ELBOW	3/4" - 4"	C. HOT GALV
Y GLV MI 150# 45 WYE	3/4" - 4"	C. HOT GALV
Y x Y GALV CI 125# ECC RED	3/4" - 4"	C. HOT GALV
Y x Y GALV CI 90 ELL	3/4" - 4"	C. HOT GALV
Y x Y GALV CI CROSS	3/4" - 4"	C. HOT GALV
Y x Y GALV CI FLG TEE	3/4" - 4"	C. HOT GALV
Y x Y GALV CI REDC. FLG	3/4" - 4"	C. HOT GALV
Y x Y GALV CI REDUCER	3/4" - 4"	C. HOT GALV
Y x Y GALV CI TEE	3/4" - 4"	C. HOT GALV
Y x Y GALV MI 90 ELL 300#	3/4" - 4"	C. HOT GALV
Y x Y GALV MI CPLG	3/4" - 4"	C. HOT GALV
Y x Y GALV MI CPLG 300#	3/4" - 4"	C. HOT GALV
Y x Y GALV MI STREET TEE	3/4" - 4"	C. HOT GALV
Y x Y GALV MI TEE	3/4" - 4"	C. HOT GALV
Y x Y GALV MI TEE 300#	3/4" - 4"	C. HOT GALV
Y BLK CI 250# 45 ELL [2]	1/2" - 2-1/2"	C. HOT CI
Y BLK CI 250# 90 ELL [2]	1/2" - 2-1/2"	C. HOT CI
Y BLK CI 250# TEE [2]	3/8" - 2-1/2"	C. HOT CI
Y BLK CI 45 ELL [2]	1/82" - 4"	C. HOT CI
Y BLK CI 90 ELL [2]	1/8" - 4"	C. HOT CI
Y BLK CI C/O PLUG [2]	1 1/4" - 4"	C. HOT CI
Y BLK CI C/S PLUG [2]	1/4" - 3 1/2"	C. HOT CI
Y BLK CI CAP [2]	2 1/2" - 4"	C. HOT CI
Y BLK CI CROSS [2]	1/2" - 1 1/2"	C. HOT CI
Y BLK CI HEX COUPLING [2]	1"	C. HOT CI
Y BLK CI SOLID PLUG [2]	1/8" 4"	C. HOT CI
Y BLK CI SQ HD PLUG [2]	1/2" - 4"	C. HOT CI
Y BLK CI TEE [2]	3/8" -4"	C. HOT CI
Y BLK STEEL HEX SOCKET PLUG [2]	1/8" - 3/4"	C. HOT CI
Y x Y BLK CI 125# ECC RED [2]	3/4" x 1/2"-2" x 1"	C. HOT CI
Y x Y BLK CI 250# TEE [2]	1 1/4"x3/4"-2x1 1/2"	C. HOT CI
Y x Y BLK CI 90 ELL [2]	3/4"x1/2"-4"x3 1/2"	C. HOT CI
Y x Y BLK CI CROSS [2]	1 1/4" x 1"-2" x 1"	C. HOT CI
Y x Y BLK CI DBLTAP BUSH [2]	1"x3/4"x3/4"-4"x3"	C. HOT CI
Y x Y BLK CI FLUSH BUSH [2]	1 1/4" x 3/4"-4" x3"	C. HOT CI

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Y x Y BLK CI REDUCER [2]	3/4"x1/2"-3"x1 1/2"	C. HOT CI
Y x Y BLK CI TEE [2]	1/2"x3/8"-4"x3 1/2"	C. HOT CI
Y x Y BLK HEX BUSH [2]	1 1/4"x3/4" - 4"x3"	C. HOT CI
Y BLK CI 250# 45 ELL	1/2 - 2-1/2	C. HOT CI
Y BLK CI 250# 90 ELL	1/2" - 2-1/2"	C. HOT CI
Y BLK CI 250# TEE	3/8" - 2 1/2"	C. HOT CI
Y BLK CI 45 ELL	1/2" - 4"	C. HOT CI
Y BLK CI 90 ELL	1/8" - 4"	C. HOT CI
Y BLK CI C/O PLUG	1 1/4" - 4"	C. HOT CI
Y BLK CI C/S PLUG	1/4" - 3 1/2"	C. HOT CI
Y BLK CI CAP	2 1/2" - 4"	C. HOT CI
Y BLK CI CROSS	1/2" - 1 1/2"	C. HOT CI
Y BLK CI HEX COUPLING	1"	C. HOT CI
Y BLK CI SOLID PLUG	1/8" - 4"	C. HOT CI
Y BLK CI SQ HD PLUG	1/2" - 4"	C. HOT CI
Y BLK CI TEE	3/8" - 4"	C. HOT CI
Y BLK STEEL HEX SOCKET PLUG	1/8" - 3/4"	C. HOT CI
Y x Y BLK CI 125# ECC RED	3/4" x 1/2" -2" x 1"	C. HOT CI
Y x Y BLK CI 250# TEE	1 1/4"x3/4"-2x1 1/2"	C. HOT CI
Y x Y BLK CI 90 ELL	3/4"x1/2"-4"x3 1/2"	C. HOT CI
Y x Y BLK CI CROSS	1 1/4" x 1" - 2" x1"	C. HOT CI
Y x Y BLK CI DBLTAP BUSH	1"x3/4"x3/4"-4"x3"	C. HOT CI
Y x Y BLK CI FLUSH BUSH	1 1/4" x 3/4"-4" x3"	C. HOT CI
Y x Y BLK CI REDUCER	3/4"x1/2"-3"x1 1/2"	C. HOT CI
Y x Y BLK CI TEE	1/2"x3/8"-4"x3 1/2"	C. HOT CI
Y x Y BLK HEX BUSH	1 1/4" x 3/4" - 4x3"	C. HOT CI
Y BLK 300# STREET 45 ELBOW [2]	1 1/4"	C. HOT MI
Y BLK 300# STREET 45 ELBOW	1 1/4"	C. HOT MI
Y BLK MI 150# AI UNION [2]	1/8" - 3"	C. HOT MI
Y BLK MI 150# AI UNION	1/8" - 3"	C. HOT MI
Y BLK MI 300# AI UNION [2]	1/8 - 3	C. HOT MI
Y BLK MI 300# AI UNION	1/8" - 3"	C. HOT MI
Y BLK MI 45 ELL [2]	1/8" - 4"	C. HOT MI
Y BLK MI 45 ELL	1/8" - 4"	C. HOT MI
Y BLK MI 45 ELL 300# [2]	1/4" - 2"	C. HOT MI
Y BLK MI 45 ELL 300#	1/4" - 2"	C. HOT MI
Y BLK MI 45 WYE [2]	1 1/4"	C. HOT MI
Y BLK MI 45 WYE	1 1/4"	C. HOT MI
Y BLK MI 90 ELL [2]	1/8" - 4"	C. HOT MI
Y BLK MI 90 ELL	1/8" - 4"	C. HOT MI
Y BLK MI 90 ELL 300# [2]	1/4" - 3"	C. HOT MI
Y BLK MI 90 ELL 300#	1/4" - 3"	C. HOT MI
Y BLK MI CAP [2]	1/8" - 4"	C. HOT MI
Y BLK MI CAP	1/8" - 4"	C. HOT MI
Y BLK MI CAP 300# [2]	1/4" - 2"	C. HOT MI
Y BLK MI CAP 300#	1/4" - 2"	C. HOT MI
Y BLK MI CPLG [2]	1/8" - 4"	C. HOT MI
Y BLK MI CPLG	1/8" - 4"	C. HOT MI
Y BLK MI CPLG 300# [2]	1/4" - 2"	C. HOT MI
Y BLK MI CPLG 300#	1/4" - 2"	C. HOT MI
Y BLK MI CPLG L&R THD [2]	1/2" - 2"	C. HOT MI

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Y BLK MI CPLG L&R THD	1/2" - 2"	C. HOT MI
Y BLK MI CROSS [2]	1/4" - 2"	C. HOT MI
Y BLK MI CROSS	1/4" - 2"	C. HOT MI
Y BLK MI CROSS 300# [2]	1/2" - 2"	C. HOT MI
Y BLK MI CROSS 300#	1/2" - 2"	C. HOT MI
Y BLK MI EXT PCS [2]	3/8" - 1"	C. HOT MI
Y BLK MI EXT PCS	3/8" - 1"	C. HOT MI
Y BLK MI LOCK NUT [2]	1/8" - 2"	C. HOT MI
Y BLK MI LOCK NUT	1/8" - 2"	C. HOT MI
Y BLK MI RTN BEND [2]	1/2" - 1"	C. HOT MI
Y BLK MI RTN BEND	1/2" - 1"	C. HOT MI
Y BLK MI ST 45 ELL [2]	1/8" - 2"	C. HOT MI
Y BLK MI ST 45 ELL	1/8" - 2"	C. HOT MI
Y BLK MI ST 90 ELL [2]	1/8" - 3"	C. HOT MI
Y BLK MI ST 90 ELL	1/8" - 3"	C. HOT MI
Y BLK MI ST 90 ELL 300# [2]	1/4" - 2"	C. HOT MI
Y BLK MI ST 90 ELL 300#	1/4" - 2"	C. HOT MI
Y BLK MI STREET TEE [2]	3/4" - 2"	C. HOT MI
Y BLK MI STREET TEE	3/4" - 2"	C. HOT MI
Y BLK MI TEE [2]	1/8" - 4"	C. HOT MI
Y BLK MI TEE	1/8" - 4"	C. HOT MI
Y BLK MI TEE 300# [2]	1/4" - 3"	C. HOT MI
Y BLK MI TEE 300#	1/4" - 3"	C. HOT MI
Y BLK MI WASTE NUT [2]	1/2" - 1"	C. HOT MI
Y BLK MI WASTE NUT	1/2" - 1"	C. HOT MI
Y x Y BLK MI 90 ELL [2]	1/4" x 1/8" - 4" x3"	C. HOT MI
Y x Y BLK MI 90 ELL	1/4" x 1/8" - 4" x3"	C. HOT MI
Y x Y BLK MI 90 ELL 300# [2]	1/2"x3/8" - 1"x3/4"	C. HOT MI
Y x Y BLK MI 90 ELL 300#	1/2"x3/8" - 1"x3/4"	C. HOT MI
Y x Y BLK MI CPLG [2]	1/4" x1/8" - 4"x3"	C. HOT MI
Y x Y BLK MI CPLG	1/4" x1/8" - 4"x3"	C. HOT MI
Y x Y BLK MI CPLG 300# [2]	3/8"x1/4" - 2"x1"	C. HOT MI
Y x Y BLK MI CPLG 300#	3/8"x1/4" - 2"x1"	C. HOT MI
Y x Y BLK MI FLUSH BUSH [2]	1/4"x1/8"-4"x3 1/2"	C. HOT MI
Y x Y BLK MI FLUSH BUSH	1/4"x1/8"-4"x3 1/2"	C. HOT MI
Y x Y BLK MI HEX BUSH [2]	1/4"x1/8"- 4"x3 1/2"	C. HOT MI
Y x Y BLK MI HEX BUSH	1/4"x1/8"- 4"x3 1/2"	C. HOT MI
Y x Y BLK MI TEE [2]	½"x½"x3/8"-4"x4"x2"	C. HOT MI
Y x Y BLK MI TEE	½"x½"x3/8"-4"x4"x2"	C. HOT MI
Y x Y BLK MI TEE 300# [2]	3/4x3/4x½"-3"x3"x2"	C. HOT MI
Y x Y BLK MI TEE 300#	3/4x3/4x½"-3"x3"x2"	C. HOT MI
Y x Y x Y BLK MI 150#ST T [2]	1 1/4" x 1" x 1 1/4"	C. HOT MI
Y x Y x Y BLK MI 150#ST T	1 1/4" x 1" x 1 1/4"	C. HOT MI

- [1] C-OUT - CLEANOUT
- DRG - DRAINAGE
- 22 1/2 - 22 1/2 DEGREE
- 11 1/4 - 11 1/4 DEGREE
- TY - Y TEE
- LTTY - LONG TURN Y TEE
- W/O - WITHOUT
- FLG - FLANGE

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Y - Size in inches

[2] The abbreviations in the trade names refer to:

125 - CLASS 125 FITTING
150 - CLASS 150 FITTING
250 - CLASS 250 FITTING
300 - CLASS 300 FITTING
45 - 45 DEGREE
90 - 90 DEGREE
BLK - BLACK (Nongalvanized parts)
BUSH - BUSHING
C/O - CLEANOUT
C/S - COUNTERSUNK
CI - CAST IRON
C-O - CLEANOUT
C-OT - CLEANOUT
CPLG - COUPLING
DBLTAP - DOUBLETAP TANK BUSHING (HEAVY TYPE ONLY)
ECC - ECCENTRIC
ELL - ELBOW
EXT PCS - EXTENSION PIECE
GALV - GALVANIZED
GLV - GALVANIZED
HEX - HEXAGON
L&R THD - LEFT & RIGHT HAND THREAD
MI - MALLEABLE IRON
RED - REDUCING
RTN - RETURN
SQ HD - SQUARE HEAD, (CORED PLUG)
ST - STREET
STL - STEEL
Y - Size in inches

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.